

Color CCD Cameras

JCC-3560

1/3" DSP Color CCD Camera



JCC-3560H

1/3" DSP High Res. Color CCD Camera



Features

- 1/3" Sony Super HAD Color CCD
- JCC-3560:
NTSC:537x505/PAL:537x597 Pixels
380 TV Lines/0.05 Lux@F1.2
- JCC-3560H:
NTSC:811x508/PAL:795x596 Pixels
540 TV Lines/0.1 Lux@F1.2
- AWB / ATW
- BLC On/Off Adjustable
- Flickerless On/Off Adjustable
- Mirror Function On/Off Adjustable
- Accept Video & D.C. Iris Lens
- C/CS Lens Mount
- DC 12V, AC 230V

Box Cameras

Specification

Model	JCC-3560	JCC-3560H
Pick Up Element	1/3" Sony Super HAD Color CCD Sensor	
Picture Element	NTSC: 537(H) x 505(V) ; PAL: 537(H) x 597(V)	NTSC: 811(H) x 508(V) ; PAL: 795(H) x 596(V)
D.S.P.	Digital Signal Processor (D.S.P.)	
Horizontal Frequency	NTSC: 15.734 KHz. ; PAL: 15.625 KHz.	
Vertical Frequency	NTSC: 59.94 Hz. ; PAL: 50 Hz.	
Synchronization	Internal / Line-Lock	Internal
Scanning System	2 : 1 Interlace	
Resolution	Horizontal 380 TV Lines	Horizontal 540 TV Lines
Sensitivity	0.05 Lux @F1.2	0.1 Lux @F1.2 / 0.003 Lux @ Sense-up
S/N Ratio	More than 48 dB (AGC Off)	
White Balance	AWB / ATW White Balance Mode Adjustable (2500° K ~ 9500° K)	
Flickerless	On / Off Adjustable	
Gain Control	Automatic Gain Control	ON / OFF Adjustable
Electronic Shutter	AES On: 1/60 (50) sec. ~ 1/100,000 sec. ; Off: 1/60 (50) sec.	
Backlight Compensation	BLC On/Off Adjustable	
Mirror Function	Mirror Function On/Off Adjustable	
Zoom Function	2 x Zoom Function On/Off Adjustable	N/A
Auto Iris	Accept Video & DC Iris Lens	
Video Output	1.0 Vp-p Composite Video Output; 75 Ohms	
Lens Mount	C/CS (with Ring Adapter)	
Operating Temperature	- 10° ~ +50°C / RH 85% or Less	
Power Consumption	Max. 3.2 W	
Power Supply	DC 12V, AC 230V	
Dimension	60mm (W) x 50mm (H) x 125mm (D)	
Weight	DC: 400 Grams ; AC: 620 Grams	
Audio Output (Optional)	2.0 Vp-p / 50 Ohm ; RCA Connector (Optional)	
Sense-up	N/A	Max 32 Times

Dimension

