

Board Cameras

JCC-913M

1/3" B/W Board Camera with Mirror Feature



■ with Board Lens



■ with Pinhole Lens

Specification

Model	JCC-913M
Pick Up Element	1/3" Sharp CCD Sensor
Picture Element	NTSC: 537 x 505 ; PAL: 537 x 597
Horizontal Frequency	NTSC: 15.750 KHz ; PAL: 15.625 KHz
Vertical Frequency	NTSC: 60 Hz ; PAL: 50 Hz
Synchronization	Negative Sync. ; Internal
Scanning System	2 : 1 Interlace
Resolution	Horizontal 380 TV Lines
Sensitivity	0.1 Lux @F2.0
S/N Ratio	More than 48 dB (AGC Off)
Gain Control	Automatic Gain Control
Electronic Shutter	Auto: 1/60(50) sec. ~ 1/100,000 sec.
Gamma Correction	0.45
Video Output	1.0 Vp-p Composite Video Output; 75 Ohms
Lens Built-in	3.6mm/F2.0 Board Lens
Operating Temperature	- 10° ~ +50 °C / RH 85% or Less
Power Supply	DC 12V / 100 mA
Dimension	32 x 32 mm
Weight	15 Grams
Audio	2 Vp-p 50 Ohm (Optional)
Optional	
Board Lens	2.5mm, 4.3mm, 6.0mm, 8.0mm or 12.0mm Board Lens
Pinhole Lens	3.7mm/F2.0 Cone-type Pinhole Lens

Dimension

